



[DBPR HOME](#) |
 [ABOUT DBPR](#) |
 [DBPR DIVISIONS](#) |
 [CONTACT DBPR](#)



[BCIS Home](#) |
 [Log In](#) |
 [User Registration](#) |
 [Hot Topics](#) |
 [Submit Surcharge](#) |
 [Stats & Facts](#) |
 [Publications](#) |
 [FBC Staff](#) |
 [BCIS Site Map](#) |
 [Links](#) |
 [Search](#)



Product Approval
USER: Public User

License efficiently. Regulate fairly.

[Product Approval Menu](#) >
 [Product or Application Search](#) >
 [Application List](#) >
 Application Detail

- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL8959-R2								
Application Type	Revision								
Code Version	2010								
Application Status	Approved								
Comments	*Approved by DCA. Approvals by DCA shall be reviewed and ratified by the POC and/or the Commission if necessary.								
Archived	<input type="checkbox"/>								
Product Manufacturer	Masonite International								
Address/Phone/Email	1955 Powis Road West Chicago, IL 60185 (615) 441-4258 sschreiber@masonite.com								
Authorized Signature	Steve Schreiber sschreiber@masonite.com								
Technical Representative									
Address/Phone/Email									
Quality Assurance Representative									
Address/Phone/Email									
Category	Exterior Doors								
Subcategory	Swinging Exterior Door Assemblies								
Compliance Method	Certification Mark or Listing								
Certification Agency	National Accreditation & Management Institute,								
Validated By	National Accreditation & Management Institute,								
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th style="text-align: left;"><u>Standard</u></th> <th style="text-align: left;"><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>TAS 201</td> <td>1994</td> </tr> <tr> <td>TAS 202</td> <td>1994</td> </tr> <tr> <td>TAS 203</td> <td>1994</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	TAS 201	1994	TAS 202	1994	TAS 203	1994
<u>Standard</u>	<u>Year</u>								
TAS 201	1994								
TAS 202	1994								
TAS 203	1994								
Equivalence of Product Standards									
Certified By									
Product Approval Method	Method 1 Option A								
Date Submitted	03/04/2012								
Date Validated	03/11/2012								

Date Pending FBC Approval

Date Approved

03/14/2012

Summary of Products		
FL #	Model, Number or Name	Description
8959.1	Metal-edge Steel Side-hinged Door Unit	6'-8" Impact Glazed I/S Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50.5/-55.0 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, Minimum Design Loads for Buildings and Other Structures, does not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. When large missile impact resistance is required, hurricane protective system is NOT required. See detail DWG-MA-FL0174-07 for additional information.		Certification Agency Certificate FL8959_R2_C_CAC_NI008080.01.PDF Quality Assurance Contract Expiration Date 05/31/2015 Installation Instructions FL8959_R2_II_FL0174.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8959_R2_AE_502A.pdf Created by Independent Third Party: Yes
8959.2	Metal-edge Steel Side-Hinged Door Unit	6'-8" Impact Glazed O/S Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55.0/-50.5 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, Minimum Design Loads for Buildings and Other Structures, does not exceed the design pressures listed. 12'-0" x 6'-8" max nominal size. When large missile impact resistance is required, hurricane protective system is NOT required. See detail DWG-MA-FL0174-07 for additional information.		Certification Agency Certificate FL8959_R2_C_CAC_NI008080.01.PDF Quality Assurance Contract Expiration Date 05/31/2015 Installation Instructions FL8959_R2_II_FL0174.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8959_R2_AE_502A.pdf Created by Independent Third Party: Yes
8959.3	Metal-edge Steel Side-Hinged Door Unit	8'-0" Impact Glazed I/S Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +47.0/-50.0 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, Minimum Design Loads for Buildings and Other Structures, does not exceed the design pressures listed. 12'-0" x 8'-0" max nominal size. When large missile impact resistance is required, hurricane protective system is NOT required. See detail DWG-MA-FL0176-08 for additional information.		Certification Agency Certificate FL8959_R2_C_CAC_NI008080.02.PDF Quality Assurance Contract Expiration Date 05/31/2015 Installation Instructions FL8959_R2_II_FL0176.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8959_R2_AE_501A.pdf Created by Independent Third Party: Yes
8959.4	Metal-edge Steel Side-Hinged Door Unit	8'-0" Impact Glazed O/S Single or Double Door w/ or w/o Sidelites
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50.0/-50.0 Other: Evaluated for use in locations adhering to the Florida Building Code including the High Velocity Hurricane Zone, and where pressure requirements as determined by ASCE 7, Minimum Design Loads for Buildings and Other Structures, does not exceed the design pressures listed. 12'-0" x 8'-0" max nominal size. When large missile impact resistance is required, hurricane protective system is NOT required. See detail DWG-MA-FL0176-08 for additional information.		Certification Agency Certificate FL8959_R2_C_CAC_NI008080.02.PDF Quality Assurance Contract Expiration Date 05/31/2015 Installation Instructions FL8959_R2_II_FL0176.pdf Verified By: National Accreditation & Management Institute, Created by Independent Third Party: Evaluation Reports FL8959_R2_AE_501A.pdf Created by Independent Third Party: Yes

Back

Next

Contact Us :: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2010 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, e-mail addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions regarding DBPR's ADA web accessibility, please contact our Web Master at webmaster@dbpr.state.fl.us.

Product Approval Accepts:

